

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer płyn

Creation date	25th May 2022	Version	3.0
Revision date	31st January 2023		

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier**  
Substance / mixture: Label Killer płyn  
mixture  
UFI: U600-Y0C1-K002-4AEE
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Removing old labels.  
**Main intended use**  
PC-CLN-OTH Other cleaning, care and maintenance products (excludes biocidal products)  
**Mixture uses advised against**  
The product should not be used in ways other than those referred in Section 1.
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name: AG TermoPasty Grzegorz Gąsowski  
Address: Kolejowa 33 E, Sokoły, 18-218  
Poland  
Identification number (CRN): 200133730  
VAT Reg No: PL9661767714  
Phone: 862741342  
E-mail: biuro@termopasty.pl  
Web address: www.termopasty.pl  
**Competent person responsible for the safety data sheet**  
Name: AG TermoPasty Grzegorz Gąsowski  
E-mail: biuro@termopasty.pl
- 1.4. Emergency telephone number**  
European emergency number: 112

### SECTION 2: Hazards identification

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.
- Flam. Liq. 2, H225  
Asp. Tox. 1, H304  
Skin Sens. 1, H317  
STOT SE 3, H336  
Aquatic Chronic 2, H411
- Full text of all classifications and hazard statements is given in the section 16.
- Most serious adverse physico-chemical effects**  
Highly flammable liquid and vapour.
- Most serious adverse effects on human health and the environment**  
May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. May cause an allergic skin reaction.  
Toxic to aquatic life with long lasting effects.

### 2.2. Label elements

#### Hazard pictogram



#### Signal word

Danger

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer plyn

Creation date 25th May 2022  
Revision date 31st January 2023 Version 3.0

### Hazardous substances

Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic  
Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic  
(R)-p-mentha-1,8-diene

### Hazard statements

H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H317 May cause an allergic skin reaction.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 Wear protective gloves.  
P301+P310 IF SWALLOWED: Immediately call a doctor.  
P331 Do NOT induce vomiting.  
P370+P378 In case of fire: Use powder extinguisher/sand/carbon dioxide to extinguish.  
P391 Collect spillage.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
EC: 918-481-9 Registration number: 01-2119457273-39-XXXX	Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic	38,5-<55	Asp. Tox. 1, H304 EUH066	
EC: 919-857-5 Registration number: 01-2119463258-33-0002	Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic	41,5	Flam. Liq. 3, H226 Asp. Tox. 1, H304 STOT SE 3, H336 EUH066	
Index: 601-029-00-7 CAS: 5989-27-5 EC: 227-813-5 Registration number: 01-2119529223-44-XXXX	(R)-p-mentha-1,8-diene	5-10	Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	
Index: 603-064-00-3 CAS: 107-98-2 EC: 203-539-1	1-methoxy-2-propanol	1-5	Flam. Liq. 3, H226 STOT SE 3, H336	1

### Notes

1 A substance for which exposure limits are set.

Full text of all classifications and hazard statements is given in the section 16.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer plyn

Creation date	25th May 2022	Version	3.0
Revision date	31st January 2023		

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

##### If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

##### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists. Rinse skin with water or shower.

##### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

##### If swallowed

If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### If inhaled

Cough, headache. May cause drowsiness or dizziness.

##### If on skin

May cause an allergic skin reaction.

##### If in eyes

Not expected.

##### If swallowed

Irritation, nausea.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Closed containers with the product near the fire should be cooled with water. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Provide sufficient ventilation. Highly flammable liquid and vapour. Remove all ignition sources. Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer plyn

Creation date 25th May 2022  
Revision date 31st January 2023 Version 3.0

### 6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in flammable or explosive concentrations and concentrations exceeding the occupational exposure limits. The product should be used only in the areas where it is not in contact with open fire and other ignition sources. Use non-sparking tools. Use of antistatic clothes and footwear is recommended. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. No smoking. Contaminated work clothing should not be allowed out of the workplace. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Take action to prevent static discharges. Avoid release to the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Do not expose to sunlight. Store locked up. Keep container tightly closed. Keep cool.

Content	Packaging type	Material of package
1 l	jerry can	FE

### The specific requirements or rules relating to the substance/mixture

Solvent vapours are heavier than air and accumulate especially near the floor where they may form an explosive mixture with the air.

### 7.3. Specific end use(s)

not available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

#### European Union

#### Commission Directive 2000/39/EC

Substance name (component)	Type	Value	Note
1-methoxy-2-propanol (CAS: 107-98-2)	OEL 8 hours	375 mg/m <sup>3</sup>	Skin
	OEL 8 hours	100 ppm	
	OEL 15 minutes	568 mg/m <sup>3</sup>	
	OEL 15 minutes	150 ppm	

#### United Kingdom

#### EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value	Note
1-methoxy-2-propanol (CAS: 107-98-2)	WEL 8h	375 mg/m <sup>3</sup>	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer plyn

Creation date 25th May 2022  
Revision date 31st January 2023 Version 3.0

### United Kingdom

### EH40/2005 Workplace exposure limits (Fourth Edition 2020)

Substance name (component)	Type	Value	Note
1-methoxy-2-propanol (CAS: 107-98-2)	WEL 8h	100 ppm	Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
	WEL 15min	560 mg/m <sup>3</sup>	
	WEL 15min	150 ppm	

### DNEL

Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic

Workers / consumers	Route of exposure	Value	Effect	Value determination	Source
Workers	Dermal	208 mg/kg/24h	Chronic effects systemic		
Workers	Inhalation	871 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Dermal	125 mg/kg/24h	Chronic effects systemic		
Consumers	Inhalation	185 mg/m <sup>3</sup>	Chronic effects systemic		
Consumers	Oral	125 mg/kg bw/day	Chronic effects systemic		

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

It is not needed.

#### Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

#### Respiratory protection

Mask with a filter against organic vapours in a poorly ventilated environment.

#### Thermal hazard

Data not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	orange
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	>35 °C

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer plyn

Creation date 25th May 2022  
Revision date 31st January 2023 Version 3.0

Flammability Highly flammable liquid and vapour.  
Lower and upper explosion limit data not available  
Flash point <23 °C  
Auto-ignition temperature data not available  
Decomposition temperature data not available  
pH non-polar/aprotic  
Kinematic viscosity data not available  
Solubility in water data not available  
Solubility in fats data not available  
Partition coefficient n-octanol/water (log value) data not available  
Vapour pressure data not available  
Density and/or relative density data not available  
Relative vapour density data not available  
Particle characteristics data not available  
Form liquid

### 9.2. Other information

Evaporation rate data not available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

(R)-p-mentha-1,8-diene

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Source
Oral	LD <sub>50</sub>		>2000 mg/kg		Rat		ECHA
Dermal	LD <sub>50</sub>		>5000 mg/kg		Rabbit		ECHA

Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Source
Oral	LD <sub>50</sub>	OECD 401	>5000 mg/kg bw		Rat		
Dermal	LD <sub>50</sub>		>3000 mg/kg bw		Rabbit		
Inhalation	LC <sub>50</sub>	OECD 403	>5000 mg/m <sup>3</sup>	8 hours	Rat		
Dermal	LD <sub>50</sub>	OECD 402	>2000 mg/kg		Rat		

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer płyn

Creation date 25th May 2022  
Revision date 31st January 2023 Version 3.0

Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic

Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex	Source
Inhalation	CL <sub>50</sub>	OECD 403	>5000 mg/kg	4 hours	Rat		
Oral	DL <sub>50</sub>	OECD 401	>5000	4 hours	Rat		
Dermal	DL <sub>50</sub>	OECD 402	>5000 mg/kg		Rabbit		

### Skin corrosion/irritation

Based on available data the classification criteria are not met.

### Serious eye damage/irritation

Based on available data the classification criteria are not met.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

### Carcinogenicity

Based on available data the classification criteria are not met.

### Reproductive toxicity

Based on available data the classification criteria are not met.

### Toxicity for specific target organ - single exposure

May cause drowsiness or dizziness.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

May be fatal if swallowed and enters airways.

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

Toxic to aquatic life with long lasting effects.

(R)-p-mentha-1,8-diene

Parameter	Method	Value	Exposure time	Species	Environment	Source
LC <sub>50</sub>		3 mg/kg	96 hours	Fish (Pimephales promelas)		ECHA
EC <sub>50</sub>		0.307 mg/l	48 hours	Daphnia (Daphnia magna)		ECHA

Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic

Parameter	Method	Value	Exposure time	Species	Environment	Source
LL <sub>50</sub>		>1000 mg/l	48 hours	Fish		
LL <sub>50</sub>		>1000 mg/l	48 hours	Daphnia (Daphnia magna)		
LL <sub>50</sub>		>1000 mg/l	96 hours	Algae		
EL <sub>0</sub>	OECD 202	>1000 mg/l	48 hours	Daphnia (Daphnia magna)		
LL <sub>0</sub>	OECD 203	>1000 mg/l	96 hours	Fish		
NOERL	OECD 201	1000 mg/l	72 hours	Algae and other aquatic plants		
EL <sub>50</sub>		>1000 mg/l	72 hours	Bacteria		

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer plyn

Creation date 25th May 2022  
Revision date 31st January 2023 Version 3.0

Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic

Parameter	Method	Value	Exposure time	Species	Environment	Source
EL <sub>0</sub>		1000 mg/l	48 hours			
LL <sub>50</sub>		>1000 mg/l	96 hours			
NOELR		100 mg/l	72 hours			
EL <sub>50</sub>		>1000 mg/l	72 hours			

### Chronic toxicity

Hydrocarbons, C10-C13, isoalkanes, cyclic, <2% aromatic

Parameter	Method	Value	Exposure time	Species	Environment
NOELR	OECD 201	32 mg/l	96 hours	Algae	Salt water
NOERL		0.101 mg/l	28 days	Fish	
NOERL		0.176 mg/l	21 days	Aquatic invertebrates	

## 12.2. Persistence and degradability

### Biodegradability

(R)-p-mentha-1,8-diene

Parameter	Method	Value	Exposure time	Environment	Result
	OECD 301				Easily biodegradable

Hydrocarbons, C9-C11, isoalkanes, cyclic, <2% aromatic

Parameter	Method	Value	Exposure time	Environment	Result
		80 %	28 days		Hardly biodegradable

not available

## 12.3. Bioaccumulative potential

Data not available.

## 12.4. Mobility in soil

Data not available.

## 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

## 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## 12.7. Other adverse effects

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number

UN 1993

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer plyn

Creation date 25th May 2022  
Revision date 31st January 2023 Version 3.0

### 14.2. UN proper shipping name

FLAMMABLE LIQUID, N.O.S.

### 14.3. Transport hazard class(es)

3 Flammable liquids

### 14.4. Packing group

III - substances presenting low danger

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

#### Additional information

Hazard identification No.

30

UN number

1993

Classification code

F1

Safety signs

3+hazardous for the environment



#### Road transport - ADR

Special provisions

274, 601

Limited quantities

5 L

Excepted quantities

E1

#### Packaging

Packing instructions

P001, IBC03, LP01, R001

Mixed packing provisions

MP19

#### Portable tanks and bulk containers

Guidelines

T4

Special provisions

TP1, TP29

#### ADR tank

Tank code

LGBF

Vehicles for tank carriage

FL

Transport category

3

Tunnel restriction code

(D/E)

#### Special provision for

packages

V12

operation

S2

#### Railway transport - RID

Special provisions

274, 601

Excepted quantities

E1

#### Packaging

Packing instructions

P001, IBC03, LP01, R001

Mixed packing provisions

MP19

#### Portable tanks and bulk containers

Guidelines

T4

Special provisions

TP1, TP29

#### RID Tanks

Tank code

LGBF

Transport category

0

#### Special provision for

packages

W 12

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer plyn

Creation date	25th May 2022	Version	3.0
Revision date	31st January 2023		

### Marine transport - IMDG

EmS (emergency plan)	F-E, S-E
MFAG	310

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended.

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out (mixture).

## SECTION 16: Other information

### A list of standard risk phrases used in the safety data sheet

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

### Guidelines for safe handling used in the safety data sheet

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves.
P301+P310	IF SWALLOWED: Immediately call a doctor.
P331	Do NOT induce vomiting.
P370+P378	In case of fire: Use powder extinguisher/sand/carbon dioxide to extinguish.
P391	Collect spillage.

### A list of additional standard phrases used in the safety data sheet

EUH066	Repeated exposure may cause skin dryness or cracking.
--------	---

### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EC <sub>50</sub>	Concentration of a substance when it is affected 50% of the population
EINECS	European Inventory of Existing Commercial Chemical Substances
EL <sub>0</sub>	Effective Loading for 0% of the tested organisms
EL <sub>50</sub>	Effective Loading for 50% of the tested organisms
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878 as amended

## Label Killer plyn

Creation date	25th May 2022	Version	3.0
Revision date	31st January 2023		

IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
LL <sub>0</sub>	Lethal Loading for 0% of tested organisms
LL <sub>50</sub>	Lethal Loading for 50% of tested organisms
log Kow	Octanol-water partition coefficient
NOEL	No observed effect level
NOELR	No Observed Effect Loading Rate
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Aquatic Acute	Hazardous to the aquatic environment
Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Asp. Tox.	Aspiration hazard
Flam. Liq.	Flammable liquid
Skin Irrit.	Skin irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity - single exposure

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### The changes (which information has been added, deleted or modified)

The version 3.0 replaces the SDS version from 25 May 2022. Changes were made in sections 1, 2, 13, 15 and 16.

### More information

Classification procedure - calculation method.

## Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.